IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of

Applicant(s)

: Phelps, et al.

Serial No. Filed : 10/625,886 : July 23, 2003

Title

: NON-TOXIC CORROSION-PROTECTION RINSES AND

SEALS BASED ON RARE EARTH ELEMENTS

Docket No.

: UVD 0299 IA / UD 268

Examiner
Art Unit

: L. Zheng

: 1742

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

DECLARATION OF JEFFREY A. STURGILL

Jeffrey A. Sturgill, one of the applicants in the above-identified patent application, declares as follows:

- 1. I received a B.S degree in Geology from the University of Toledo in 1986. I was employed by the University of Dayton from November 1993 until September 2006. I have been working the area of corrosion-inhibiting pigments since 1996, and in the area of corrosion/materials degradation since 1985.
- 2. I am familiar with this application as well as the Office Action mailed September 10, 2007, including the rejections made by the Examiner therein. I am also familiar with the references cited by the Examiner in that Office Action including U.S. Patent Nos. 6,200,672 to Tadokoro (treated as equivalent to WO 98/48075).
- 3. I previously prepared solutions using Tadokoro's process and the organic compounds 2-hydroxynicotinic acid, catechol, dextrose (as a surrogate for γ-cyclodextrin) and salicylic acid (slightly less soluble than 2-hydroxynicotinic acid) using

Serial No. 10/625,886 Docket UVD 0299 IA

the procedure set out in Tadokoro. See Declaration of Jeffrey A. Sturgill filed with the Amendment of June 26, 2007.

- 4. The solubility of the dextrose-containing solution was not determined because it was too high as discussed in the Declaration of Jeffrey A. Sturgill filed with the Amendment of June 26, 2007.
- 5. The catechol/ammonium cerium IV nitrate reaction was repeated because there was not enough product (which was almost entirely pure carbon) from the earlier reaction on which to perform the solubility test. The reaction was carried out in the same way as described in Declaration of Jeffrey A. Sturgill filed with the Amendment of June 26, 2007.
- 6. The solid reaction products prepared in accordance with Tadokoro were evaluated for their solubility characteristics. The three solid reaction products evaluated included:

 1) salicylic acid/ammonium cerium IV nitrate; 2) catechol/ammonium cerium IV nitrate; and 3) 2-hydroxynicotinic acid/ammonium cerium IV nitrate.

The samples were prepared for solubility determination in a manner similar to that described in ASTM D-2448: Water-Soluble Salts in Pigments by Measuring the Specific Resistance of the Leachate of the Pigment. This specification describes weighing a mass of the pigment, and then contacting the mass of powdered pigment with nine times the mass of deionized water. In the specification, the specific resistance of the 'extracting' deionized water sample placed in contact with the pigment is then determined, in order to measure how many ions were placed into the water from the pigment. This allows for a determination of the Total Salts being solubilized by the water - in effect, measuring the total solubility of the pigment in water. For this effort, that information is only part of what is needed. A measure of the cerium being extracted from the pigment/resultant solid was needed. Therefore, the extracting water sample was analyzed by inductively coupled plasma (ICP) spectroscopy in order to derive the quantity of soluble cerium in each sample.

Serial No. 10/625,886 Docket UVD 0299 IA

The ICP results for each sample are attached. Specifically, Sample 1 (reaction product of ammonium cerium IV nitrate and salicylic acid (Exhibit 1)) indicates a quantity of extracted cerium corresponding to an average of 1071 ppm (0.1 wt. %). Sample 2 (reaction product of ammonium cerium IV nitrate and catechol (Exhibit 2)) indicates a quantity of extracted cerium corresponding to an average of 6.5 ppm (0.0001 wt.%). Lastly, Sample 3 (reaction product of ammonium cerium IV nitrate and 2-hydroxynicotinic acid (Exhibit 3)) indicates a quantity of extracted cerium corresponding to an average of 81610 ppm (8.16 wt. %). As can be seen from the ICP data, smaller concentrations of other elements were detected.

Based upon a molecular weight for cerium of 140.1, these extracted concentrations correspond to cerium solubilities of:

Sample 1: 7.1 x 10-3 moles/liter

Sample 2: 4.3 x 10-5 moles/liter

Sample 3: 5.8 x 10-1 moles/liter

Tadokoro reported the solubility for the catechol and 2-hydroxynicotinic acid complexes as 0.01 mol/l or less.

- 7. The cerium content of the catechol/ammonium cerium IV nitrate reaction product is extremely low (0.0001 wt.%). The measured cerium content is probably some residual, reduced starting material. The reaction product was previously tested to be almost pure carbon. See Declaration of Jeffrey A. Sturgill filed with the Amendment of June 26, 2007.
- 8. The portion of the extract for all three solid materials that was not used for ICP analysis was then subjected to redox determination. This analysis was previously described in Paragraph 12 of the Declaration of Jeffrey A. Sturgill filed with the Amendment of June 26, 2007, but without the digestion procedure described because the extract was already in liquid form. Specifically, the titration was the procedure described on page 246 of Reagent Chemicals Specifications and Procedures 10th by the ACS

Serial No. 10/625,886 Docket UVD 0299 IA

Committee on Analytical Reagents, 2006. The 9:1 water/solid extract described above was titrated with a 0.1 N ferrous sulfate solution in the presence of a redox probe in order to determine if the cerium present was trivalent or tetravalent. These titration curves for Samples 1 through 3 indicate no change in oxidation state of the cerium in the presence of the ferrous reducing agent. See Exhibits 4-6. Therefore, there is no cerium (IV) present.

- 9. Tadokoro does not describe having performed any procedure to determine the valence of the rare earth metal in the complex formed by the process described there.
- 10. The process described in Tadokoro is non-enabling for making a tetravalent cerium complex, and it would take undue experimentation to produce a tetravalent cerium complex using Tadokoro's process.

The declarant further states that the above statements were made with the knowledge that willful false statements and the like are punishable by fine and/or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of this application or any patent resulting therefrom.

Date: _ /- // - @ 8

		الم الم		EXHIBIT
		\$ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		EX
•	∑ > <u>↑</u>	- **	62	PENGAD-Bayonne, N. J.
Sc 361.383 Sc 361.383 Sc 361.383 Sc 361.383 Sc 361.383 Sc 361.383 Sc 361.383	Sc 361.383 Sc 361.383	Sc 361.383	Se 361,383 Se 361,383 Se 361,383 Se 361,383 Se 361,383 Se 361,383	Sc 361.383 Sc 361.383 Sc 361.383 Sc 361.383 Sc 361.383
9.19622 ppm 2.42498 ppm 138.434 ppm 4.59755 ppm 4.98796 ppm 105.947 ppm	17.6793 ppm 17.6799 ppm 8.16796 ppm 7.57770 ppm 7.24797 ppm 4.81316 ppm -2.41841 ppm 17.7450 ppm 16.5089 ppm	-0.261786 ppm 1068.84 ppm 1054.69 ppm 1092.90 ppm -1.13319 ppm -1.12739 ppm -0.184609 ppm 1,28401 ppm 1,28401 ppm 0,359328 ppm 0,359328 ppm	15.1663 ppm 13.0450 ppm 13.3690 ppm 1.17198 ppm 1.23879 ppm -0.568908 ppm 1.54171 ppm	1.08819 ppm 2.75453 ppm -1.50184 ppm -1.08170 ppm 1 63296 mm
13.4822 163.890 668.328 234.666 3.06343 1.45237 20.2144		21,4422 3452.30 6368.79 6928.29 2.97918 0.453564 1.54796 1.76105 2.87198 74.8020 90.2475		50.8482 14236.6 606.081 156.918 51 1048
39.0 162.9 1.7 17.8 137.7 610.2	3.4 2.7 1.6 1.7 171.7 73.3 2.0 20.8	58.8 0.5 1.8 1.0 56.0 21.0 28.5 348.8 75.4 51.8 51.8	5.2 0.6 112.6 63.4 63.4 75.0	66.5 1.3 1.8 4.3
0.003231 0.003586 0.002084 0.000735 0.006181 0.003127 0.010430	0.000539 0.000432 0.000115 0.000114 0.0007439 0.001594 0.000314 0.000286 0.000206	0.000139 0.004571 0.016864 0.009785 0.000571 0.000213 0.000227 0.000357 0.000354 0.000354	0.000709 0.000709 0.0001188 0.000707 0.000217 0.001041	0.000018 0.000018 0.000018 0.000018
udd udd udd udd udd udd	udd	udd		
0.008277 0.002182uv 0.124590 0.004138 0.004489uv -0.000513uv 0.095353	0.015911 0.015867 0.007351 0.006820 0.006523 -0.004332uv -0.002177uv 0.015970 0.015970	-0.000236uv 0.961956 0.949224 0.983613 -0.001015uv -0.001015uv -0.000166uv 0.001156 -0.000689uv 0.000323 0.000727	0.013650 0.011741 0.012032 0.001055 0.001115 -0.000512uv 0.001388	0.000979 0.002479 -0.001352uv -0.000974uv
A1 237.312 A1 308.215 A1 396.401 A1 396.152 As 188.980 As 193.696 As 234.984	B 249.678 B 249.772 Ba 233.527 Ba 455.403 Ba 493.408 Bi 222.821 Bi 223.061 Ca 393.366 Cd 214.439	Cd 228.802 Ce 407.570 Ce 418.659 Co 228.615 Co 230.786 Co 238.892 Cr 205.560 Cr 206.158 Cu 213.598 Cu 324.754	Fe 234.350 Fe 238.204 Fe 259.940 Hg 184.887 Hg 194.164 Hg 253.652 K 766.491	Li 610.365 Li 670.783 Mg 279.553 Mg 280.270

-0.009045uv ppm -0.006621uv ppm 0.065301 ppm 0.068574 ppm
Λn
0.018367 ppm -0.005539uv ppm 0.002398 ppm
0.001531 ppm 0.034819 ppm
)
0.064413 ppm 0.062306 ppm 0.011364 ppm 0.009036uv ppm
0.036433 ppm 0.036433 ppm 0.034397 ppm 0.034174 ppm
-0.000149uv ppm 0.001316uv ppm 0.001496 ppm 0.054019 ppm 0.052646 ppm
0.007622 ppm 0.007490 ppm 0.008242 ppm 0.005855 ppm 0.003817 ppm

FAX NO. 6142251175	P. 1
E Si	PENCAD-Bayonne, M. J. TT
	ර එර එර අත් අත් එර එර එර

2- JS (Samp)	12	2/10/2007,	12/10/2007, 11:42:46 AM	T	Tube 18		
Weight: 0.41	Λ	Volume: 100		Dii	Dilution: 1		
Label	Soffn Conc.	Units	S	%RSD	Int. (c/s)	Int. (e/s) Cale Cone.	SI
Ag 328.068	0.000921	nidd	0.000342	37.1	27.6180	0.224527 ppm	Sc 361.383
Ag 338.289	0.000770	шdd	0.000709	92.0	10.0808	0.187917 ppm	Sc 361.383
Al 237.312	-0.005150uv	mdd	0.000857	9.91	4.82992	-1.25602 ppm	Sc 361.383
Al 308.215	-0.003225uv	mdd	0.001049	32.5	150.888	-0.786600 ppm	Sc 361.383
AI 394.401	-0.000027uv	mdd	0.001810	6777.7	51.2799	-0.006514 ppm	Sc 361.383
AI 396.152	-0.003059uv	mdd	0.000522	17.1	99.9389	-0.746116 ppm	Sc 361.383
As 188.980	0.000905uv	uidd	0.002296	253.8	2.66204	0.220666 ppm	Sc 361.383
As 193.696	-0.004375uv	mdd	0.005054	115.5	1.02442	-1.06697 ppm	Sc 361.383
As 234.984	0.044855	udd	0.016260	36.3	13.5156	10.9402 ppm	Sc 361.383
B 208.956	0.006648	undd	0.003521	53.0	2.56871	1.62147 ppm	Sc 361.383
B 249.678	0.000995	udd	0.001059	106.4	17.2001	0.242691 ppm	Sc 361.383
B 249.772	0.001897	mdd	0.000290	15.3	34.4731	0.462796 ppm	Sc 361.383
Ba 233.527	-0.000304uv	udd	0.000066	21.7	22.6355	-0.074025 ppm	Sc 361.383
Ba 455.403	-0.001143uv	bbm	0.000119	10.4	432.988	-0.278874 ppm	Sc 361.383
Ba 493.408	-0.001412uv	mdd	0.000144	10.2	390.893	-0.344377 ppm	Sc 361.383
Bi 222.821	0.000457uv	mdd	0.009684	2119.5	7.35762	0.111436 ppm	Sc 361.383
Bi 223.061	0.000458uv	urdd	0.002614	570.2	3.23831	0.111820 ppm	Sc 361.383
Ca 393.366	0.000515	pindd	0.000174	33.8	4915.07	0.125684 ppm	Sc 361.383
Ca 396.847	0.001181	undd	0.000179	15.2	8206.88	0.287959 ppm	Sc 361.383
Cd 214.439	-0.000854uv	udd	0.000012	1.4	6.63822	-0.208309 pm	Sc 361.383
Cd 226.502	-0.000843uv	mdd	0.000073	8.7	8.75923	-0.205536 ppm	Sc 361.383
Cd 228.802	-0.000450uv	mdd	0.000258	57.4	20.3767	-0.109680 ppm	Sc 361.383
Ce 407.570	0.028106	udd	0.006013	21.4	167.409	6.85508 ppm	Sc 361.383
Ce 418.659	0.028558	uzdd	0.002843	10.0	202.971	6.96529 ppm	Sc 361.383
Ce 446.021	0.024801	шdd	0.004865	19.6	201.498	6.04908 ppm	Sc 361.383
Co 228.615	-0.001122uv	undd	0.000555	49.4	2.47593	-0.273780 ppm	Sc 361.383
Co 230.786	-0.000807uv	mdd	0.000320	39.7	3.72916	-0.196925 ppm	Sc 361.383
Co 238.892	-0.000673uv	mdd	0.000127	. 18.9	0.998891	-0.164157 ppm	Sc 361.383
Cr 205.560	0.000038uv	ppm	0.000605	1581.1	1.99087	0.009330 ppm	Sc 361.383
Cr 206.158	0.000162uv	mdd	0.000416	257.6	1.00420	0.039405 ppm	Sc 361.383
Cr 267.716	-0.000467uv	mdd	0.000402	86.1	4.18367	-0.113925 ppm	Sc 361.383
Cu 213.598	-0.000435uv	mdd	0.000307	70.7	1.49936	-0.106003 ppm	Sc 361.383
Cu 324,754	-0.000315uv	undd	0.000474	150.6	63.9295	-0.076865 ppm	Sc 361.383
Cu 327,395	0.001475	ındd	0.000217	14.7	79.5229		Sc 361.383
Fe 234.350	0.002467	шdd	0.002363	95.8	17.8176		Sc 361.383
Fe 238.204	0.001682uv	шdd	0.002823	167.8	35.7796	0.410321 ppm	Sc 361.383
Fe 259.940	0.001609uv	mdd	0.002762	171.7	28.3308	0.392394 ppm	Sc 361.383
Hg 184.887	0.000438	uıdd	0.000562	128.3	0.840625	0.106763 ppm	Sc 361.383
Hg 194,164	-0.000255uv	mdd	0.000661	258.9	0.870229	-0.062259 ppm	Sc 361.383
Hg 253.652	-0.001110uv	udd	0.000678	61.1	4.22157	-0.270665 ppm	Sc 361.383

Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361 383	Se 361 383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361,383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361,383	Sc 361,383	Sc 361.383	Sc 361.383	Sc 361,383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361 383	Se 361 383
0.218063 ppm	0.312406 ppm	0.994881 ppm	-0.212542 ppm	-0.215504 ppm	-0.195303 ppm	-2.79136 ppm	-2.75278 pm	-2.19231 ppm	2.48128 ppm	1.60727 ppm	-0.267273 ppm	0.030217 ppm	-0.258550 ррш	-0.090607 ppm	0.639921 ppm	-0.231628 ppm	-2.73711 ppm	0.179515 ppm	-0.306152 ppm	-0.891193 ppm	-0.149437 ppm	-0.135257 ppm	0.110911 ppm	-0.163448 ppm	-1.34690 ppm	0.629638 ppm	-29.8492 ppm	-31.5904 ppm	0.339003 ppm	0.485030 ppm	-2.92630 ppm	-0.350310 ppm	-0.264974 ppm	-0.438288 ppm	0.327768 ppm	4.98155 ppm	-1.07773 ppm	-0.253987 ppm	-0.557090 ppm	-0.495967 ppm	-0.132565 ppm	-0.360792 ppm	0.323556 ppm	0.636805 ppm	-0.870495 nnm
1069.82	278.805	92.2989	31.1805	14.8646	11.0347	1.28701	2.51284	8.15486	7307.46	7455.45	2.34818	1.60774	2.37029	3.55646	0.673041	2.62700	0.413285	1.2084[1.92572	38.8122	5.89608	21.8310	17.9166	1.01198	1.14187	2,72013	6.75390	7.7697.7	1.84643	1.22716	0.060165	16.5388	16.5727	84.1267	0.514479	2.20477	7.38312	1.92253	284.608	69.7692	9.31733	4429.77	15.0662	2.99455	1.76850
8.0	8.1	3.7	8.3	5.3	42.9	4.3	12.5	15.9	4.2	.14.3	52.7	500.5	51.9	130.6	278.2	536.6	68.9	619.2	158.6	179.0	329.2	141.6	283.2	1077.7	38.9	114.4	1.2	5.4	189.8	160.1	8.7	145.9	38.0 27.4	7.76	C.CE1	400	82.1	38.9	0.4	1.3	19.2	300.3	42.1	31.2	46.0
0.0000/1	0.000103	0.000152	0.000072	0.000047	0.000343	0.000491	0.001411	0.001426	0.000430	0.000943	0.000577	0.000620	0.000550	0.000485	0.007300	0.005096	0.007734	0.004558	0.001991	0.006540	0.002017	0.000785	0.001288	0.007222	0.002151	0.002954	0.001529	0.007033	0.002638	0.003184	0.000987	0.002095	0.000419	16/100/0	0.001821	0.013304	0.003626	0.000405	0.00000	0.000026	0.000104	0.004443	0.000559	0.000814	0.001641
uzdd	udd	udd	ppm	ppm	mdd	mdd	mdd	mdd	undd	mdd	undd	undd	wdd	urdd	ppm	ındd	urdd	mdd	udd	urdd	udd	udd	uzdd	ppm	шdd	mďd	mdd	Edd	bbm	udd	ppm	mdd	undd	mdd	ppm	mdd.	mdd.	udd	mdd	mdd	mdd	undd	mdd	mdd	חומים
V.000894	0.001281	0.004079	-0.000871uv	-0.000884uv	-0.000801uv	-0.011445uv	-0.011286uv	-0.008988uv	0.010173	0.006590	-0.001096иv	0.000124 uv	-0.001060uv	-0.000371uv	0.002624uv	-0.000950uv	-0.011222uv	0.000736uv	-0.001255uv	-0.003654uv	-0.000613uv	-0.000555uv	0.000455uv	-0.000670uv	-0.005522uv	0.002582uv	-0.122382uv	-0.129521uv	0.001390uv	0.001989uv	-0.011998uv	-0.001436UV	-0.0010acuv	0.0011344113	V.001344LV	0.004410	-0.00++1.5uv	-0.00104 Juv	-0.002284uv	-0.002033uv	-0.000544uv	-0.001479uv	0.001327	0.002611	-0.003569uv
CCC. 617 SIM	Mg 280.270	Mg 285.213	Mn 257.610	Mn 259.372	Mn 294.921	Mo 202.032	Mo 204.598	Mo 284.824	Na 588.995	Na 589.592	Ni 216.555	Ni 221.648	Ni 230.299	Ni 231.604	P 177.434	P 213.618	P 214.914	Pb 182.143	Po 220.353	Pb 283.305	Pd 229.651	Pd 340,458	Pd 360.955	Pt 177.648	Pt 203.646	Pt 214.424	S 180.669	5 181.972	SD 206.834	SD 217.382	St 250.140	Si 751 611	Si 288.158	Sn 189 977	Sn 735 485	Sn 283 008	Sr 216 506	St 210,370	St 407.771	or 421.332 T: 224.643	11334,941	11.536.122	Ti 337.280	W 207.912	W 209.475

Label	Ratio	Int. (c/s)		%RSD
	1.00838	54551.8		1.3
	1.01430	85910.1	1182.709	1.4
	1.00295	20385.9		2.0
	1.02635	65728.6		1.3

MON	1 03	3:1	5 F	M	GF	S (CHE	EMI	CA	LS							F	ΑX	NO		614	422	251	17	5							Ρ.	-	-		_
																								د	ı	2	1	_					XHIRIT			
																									50E	91610)	_					X		E()	
								٠.					لہ							•				•	ح. ر	<u> </u>								-	Ve8-G	PENGA
			83	83	83	83	83	83	83	83	83	83	83 2	23	2	£	33	£	33	E 20	. 23	22	£	83	3	33	ິ. ເຂ	33	83	83	83	33				
		S	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361,383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361,383	Sc 361,383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361,383	Sc 361.383	Sc 361.383	Sc 361.383	Sc 361,383	Sc 361.383				
		\$1	Sc	Sc	Sc	Sc	Sc	Sc	Sc	Sc	Sc	Sc	Sc	Sc	Sc	Sc	Sc	Sc	သိ	Sc	Sc	Sc	S	Sc	Sc	Sc	Sc	Sc	Sc	Sc.						
			B	Ħ	日	Ħ	Ę	E	E	8	8	텀	Ħ	日	Ħ	ä	E	8	E	日	日	Ħ		Ø	8	E	8	Ħ	E	Ħ	Ξ	Ħ	덤	됨	Ħ	8
		2	26.1050 ppm	25.1714 ppm	28.3397 ppm	29 pp	10 870.4 ppm	103.606 ppm	21 pp	14 pp	11 pp	28 pp	64 pp	80 pp	43 pp	40 pp	28 pp	39 pp	$30 \mathrm{pp}$	143.266 ppm	09 pp	od 96	1.02227 ppm	1.71449 ppm	.0 pp	1.2 pp	.1 pp	73 pp	53 pp	54 pp	33 pp	48 pp	59 pp	14.9956 ppm	52 pp	01 PP
		Calc Conc.	26.10	25.17	28.33	57.2029 ppm	1087	103.6	-9.49421 ppm	-7.41614 ppm	210.811 ppm	24.2528 ppm	26.9164 ppm	29.6380 ppm	-0.853843 ppm	-1.37040 ppm	-0.270828 ppm	-16.0039 ppm	3.14230 ppm	143.2	7.37360 ppm	0.144496 ppm	1.022	1.714	81045.0 ppm	80846.2 ppm	82939.1 ppm	1.20973 ppm	4.66253 ppm	-0.739554 ррш	8.06833 ppm	7.59248 ppm	5.23759 ppm	14.99	-1.97452 ppm	-3.47401 ppm
		(S)	77	77	14	22	8 7	74							•					O,		0		23						9						
61	Dilation: 1	Int (c/s)	358.221	43.3597	26.4114	296.182	53876.8	2096.74	1.49754	0.687385	35.5309	7.04414	99.3344	212.957	12.9036	360.875	756.516	3.88297	4.92885	83101.0	15119.3	14.2006	31.6891	31.1482	285150	541450	581908	9.54536	23.5228	0.705078	15.5265	5.06906	66.5452	29.4406	46.6102	24.5884
Tube 19	Dilat	i .	l			1.2	0.1			_				•	•										-;	9				_						
		%RSD	4	m	12.7	1	0	14.5	60.7	63.8	7.3	14.8	4	C)	31	m	33	31	66.3	0.4	1.5	81.9	10.8	12.7	0.	9.0	0.8	57	4.1	7.6	6.3	9.5	3.3	4.8	5,6	27.2
M			287	754	100 100 100 100 100 100 100 100 100 10	575	368	. 76(7 5	132	998	383	354	345	597	1 4	16(7.5	84	575	801	118	111	813	746	574	97	93	8	95(808	722	20	18	01	45
0:38		S. S.	0.001287	0.000754	0.003601	0.000675	0.015898	0.014992	0.005764	0.004732	0.015360	0.003583	0.000854	0.000645	0.000265	0.000041	0.000091	0.005075	0.002084	0.000575	0.000108	0.000118	0.000111	0.000218	0.091846	0.458674	0.627097	0.000693	0.000190	0.000056	0.000508	0.000722	0.000170	0.000718	0.000110	0.000945
, 11:5	00	: 37 : 37		_					•	•				_	•		_		_					_	_	_		_	_	_	Ŭ	_		_		•
12/10/2007, 11:50:38 AM	Volume: 100	Units	шdd	mdd	mdd	ppm	mdd	mdd	mdd	ppm	bbm	ppm	undd	mdd	nudd	ppm	uidd	mdd	mdd	ppu	uudd	mdd	mdd	ppm	matd.	nadd	mdd	ppm	mdd	ppm	ppm	ppm	ppm	uzdd	шdd	wdd
12/1			CI.	P.	D.			•			Ď.	<u>a</u>	Ē			_			<u>p</u>	D.	ā.	<u>a</u>						豆			盂	2	配			>
		one.	5105	5171	8340	7203	10.8704x	0.103606	-0.009494uv	-0.007416uv	0811	1253	916	9638	-0.000854uv	-0.001370uv	-0.000271uv	-0.016004uv	3142	3266	1374	144	1022	[714]	81.0450x	80.8462x	82.9391x	210	663	-0.000740uv	3068	7592	5238	9661	-0.001975иv	-0.003474u
	٠	01'11 (0.026105	0.02517]	0.028340	0.057203	10.	0.10	000	00.0	0.210811	0.024253	0.026916	0.029638	Ŏ.O-	000) - -	5 0.0	0.003142	0.143266	0.007374	0.000144	0.001022	0.001714	<u>~</u>	80.2	82.5	0.001210	0.004663	-0.00	0.008068	0.007592	0.005238	0.014996	0.00	0.00
		Sol'n Conc.																Ť												-						•
(da	•		œ :	æ ,	~	ر س	_	7	0	9	▼ .				_	()	∞	_	_	9	_	Q,	2	C1 -	، ۵	ъ.	– •	^ '	• •	7 .	_	~ ,	, , i	20	母 ⁴	رم م
3- JS (Samp)	Weight: 0.1	1	Ag 328.068	Ag 338.289	AI 257.312	AI 308.215	Al 394.401	Al 396.152	As 188.980	As 193.696	As 234.984	B 208.956	B 249.678	B 249.772	Ba 233.527	Ba 455.403	Ba 493.408	Bi 222.821	Bi 223.061	Ca 393.366	Ca 396.847	Cd 214.439	Cd 226.502	Cd 228,802	Ce 407.570	Ce 418.659	Ce 445.02]	Co 228.615	Co 230.786	Co 238.892	Cr 205.560	Cr 206.158	Cr 267.716	Cu 213.598	Cu 324.754	Cu 327.395
4	Wei	Label-	Ag	Ag	AI 2	AI3	AI 3	A13	As I	As I	As 2	B 2(B 24	B 24	Ba 2	Ba 4	Ba 4	Bi 2	Bi 2	2	Çg G	ਣ	Cd 2	Cd 2	3	3	ည် 4 (3 8	200	20.0	C. C.	Cr 2	など	CII 7	C 23	2

mid aireera eenaer ore

בטביוטב שנו

1

 Int. (c/s)
 SD(Int)
 %RSD

 54551.8
 692.988
 1.3

 85910.1
 1182.709
 1.4

85910.1 20385.9 65728.6

1.00838 1.01430 1.00295

Sc 361.383 Sc 363.074

Sc 424.682

Sc 335.372

1.02635

843.698 416.957


1

)))) !

Ratio


	40	300
Sc 361.383	Sc 361.383	Sc 361.383
2.34250 ppm -3.80126 ppm -1.12060 ppm -26.2798 ppm 2.13314 ppm 0.072558 ppm 6.67586 ppm 2.19974 ppm 4.04404 ppm -0.286297 ppm 0.184040 ppm 1.98100 ppm -9.09147 ppm	32.2368 ppm 44.7843 ppm 21.3372 ppm -1.18583 ppm 4.18806 ppm 36.8598 ppm 5.87969 ppm 23.1145 ppm 36.3252 ppm	11.8510 ppm -32.1826 ppm -12.4820 ppm 0.837360 ppm 4.13309 ppm 85.7720 ppm 308.348 ppm 293.107 ppm 364.334 ppm 56.7237 ppm 36.7237 ppm 38.8928 ppm 38.8928 ppm
3.43383 -2.32983 449.471 12900.8 105.009 5616.92 2263.75 328.486 91.7467 74.2138 65.7486 61.0384 4.32455 5.28948	17190.3 16040.2 41.0030 0.364986 15.0690 4.05582 3.60943 4.33868 2.36318 3.54721 30.1130 577718 1.06155 55.4158	6.91495 9.89024 13.1173 1.72372 1.71475 24.9653 327.665 375.631 944.874 9.26087 14.8247 37.8579 1.45497
31.3 23.9 79.6 26.7 50.5 46.5 1.5 3.8 4.2 14.8 61.8 61.8 61.8	5.9 0.5 1.0 27.6 10.0 358.5 4.6 17.2 61.9 11.1 10.5 40.2 23.0 4.7 0.2	25.6 23.2 165.8 244.8 155.5 6.9 0.2 6.9 9.0 11.3
0.000734 0.000892 0.007021 0.001077 0.000034 0.000085 0.000042 0.000243 0.000249 0.000243 0.000249	0.001915 0.000240 0.000203 0.000379 0.001690 0.001011 0.014303 0.004048 0.003781 0.005900 0.007109 0.007109	0.003033 0.007466 0.020699 0.0026428 0.004125 0.003671 0.002292 0.000672 0.003912 0.007522 0.004385 0.0004385
mdd	udd	undd undd undd undd undd undd undd undd
0.002543 -0.003801uv -0.0026280uv 0.002133 0.006073 0.006676 0.004044 -0.002286uv 0.0001881 -0.009091uv -0.007914uv	0.032237 0.044784 0.021337 -0.001186uv 0.004188 -0.00106uv 0.036860 0.036880 0.035880 0.035115 0.035753 -0.014380uv -0.025612uv 0.080744 3.05631x 0.080744	0.011851 -0.032183uv -0.012482uv 0.000837uv 0.085772 0.308348 0.293107 0.364334 0.056724 0.083649 0.038893 -0.001193uv
Hg 253.652 K 766.491 K 766.491 K 769.897 Li 610.365 Li 670.783 Mg 279.553 Mg 285.213 Mn 285.213 Mn 259.372 Mn 294.921 Mo 202.032 Mo 204.598 Mo 204.598	Na 588,995 Na 589,592 Ni 216,555 Ni 221,648 Ni 231,604 P 177,434 P 177,434 P 214,914 P 182,143 P 220,353 P 229,651 P 4 229,651 P 4 340,458 P 4 340,458 P 529,651	S 180,669 S 181,972 Sb 206,834 Sb 217,582 Sb 231,146 Si 250,690 Si 251,611 Si 288,158 Sn 189,927 Sn 235,485 Sn 235,485 Sn 283,998 Sr 216,596 Sr 407,771

		603 0.3 0.5	%RSD 0.3 0.3 0.5	SD(Int) 133.442 316.612 92.365	52511.3 92339.8 18727.9	Rafto 0.970561 1.09021 0.921376	Labet Sc 335.372 Sc 335.372 Sc 361.383 Sc 363.074
Sc	43.2557 ppm	1031.43	2.6	0.001119	udd	0.043256	Zr 349.619
S	23.0793 ppm	543,630	1.7	0.000393	urdd	0.023079	Zr 343.8Z3
S	6.59574 ppm	34.3309	3.2	0.000211	mdd	0.006596	Zr 339.198
Sc	1.97315 ppm	24.7303	6.7	0.000132	mdd	0.001973	Zn 213.857
Sc	7.31213 ppm	8.32183	3.0	0.000216	mdd	0.007312	Za 206.200
S	5.46624 ppm	29.0883	3.9	0.000212	mdd	0.005466	Zn 202,548
J J	TIME OF COLUMN	2777797	;	** }	Library		




REDOX TITRATION
OF 9:1 ExTRACT
OF (NH4)2(e (MO3)6)
SALICYLIC MIRIO
RRECTION PRODUCT





REDOK TITEATION
OF 9:1 IEXTRICT
OF (NH4), CE(NO3) 6 /
CATECHOL REACTION
PRODUCT





REDOK TITRATION

OF 9:1 Extract

OF (NH4)2 Ce (NO3)6

2-HYDROXYMMINITED ACID

REACTION PROBUCT

